



United States Department of the Interior

Bureau of Indian Affairs
Warm Springs Agency
P.O. Box 1239
Warm Springs, OR 97761

IN REPLY REFER TO:
FIRE MANAGEMENT

September 9, 2020

MEMORANDUM

TO: ROBERT BRUNOE, GM CTWS NATURAL RESOURCES
VERNON WOLF, FOREST MANAGER, CTWS
W.S. FIRE MANAGEMENT
W.S. FIRE DEPARTMENT
W.S. POLICE DEPARTMENT
KWSO
OREGON DEPARTMENT OF FORESTRY
BUREAU OF LAND MANAGEMENT
US FOREST SERVICE

FROM: SUPERINTENDENT, WARM SPRINGS AGENCY

SUBJECT: 2020 FIRE SEASON UPDATE

At 1400 on September 9, 2020, the Warm Springs Indian Reservation will update fire season restrictions. All regulations governing any timber industry or other outside activities will be enforced. As fire danger and risk rise, more strict regulations will be implemented.

As the fire danger increases during the declared season the restrictions will follow the regulations covered by the National Fire Danger Rating System, Industrial Fire Precaution Levels and Warm Springs Mobilization and Dispatch plan.

As of 1400 hours on September 9, 2020, the Warm Springs Reservation will go into the following Industrial Fire Precautions:

Zone 1 – IFPL Level 4 – Fire Danger **Extreme**
Zone 2 – IFPL Level 4 – Fire Danger **Extreme**
Zone 3 – IFPL Level 4 – Fire Danger **Extreme**

Currently Warm Springs fire danger level is extreme. September ERC's and Fuels moistures will be trending for the worse. We are sitting around the 95th and 97th percentiles.

Industrial Fire Precaution Levels

Level I - Closed Season

Fire precaution requirements are in effect. A Fire Watch/Security is required at this and all higher levels unless otherwise waived.

Level II - Partial Hootowl

The following may operate only between the hours of 8 p.m. and 1 p.m. local time:

- Power saws except at loading sites
- Cable yarding
- Blasting
- Welding or cutting of metal

Level III - Partial Shutdown

The following are prohibited except as indicated:

- Cable yarding - except that gravity operated logging systems employing nonmotorized carriages may operate between 8 p.m. and 1 p.m. when all blocks and moving lines are suspended 10 feet above the ground except the line between the carriage and the chokers.
- Power saws - except power saws may be used at loading sites and on tractor/skidder operations between the hours of 8 p.m. and 1 p.m. local time.

In addition, the following are permitted to operate between the hours of 8 p.m. and 1 p.m. local time:

- Tractor, skidder, feller-buncher, forwarder, or shovel logging operations where tractors, skidders, or other equipment with a blade capable of constructing fireline are immediately available to quickly reach and effectively attack a fire start
- Mechanized loading or hauling of any product or material
- Blasting
- Welding or cutting of metal
- Any other spark emitting operation not specifically mentioned.

Level IV - General Shutdown

All operations are prohibited.

These IFPL ratings can be found at

<http://www.blm.gov/or/resources/fire/industrial-fire-level.php>

Fire Watch requirements WSA –

- IFPL 1 (1 hour)
- IFPL 2 (2 hour fire watch)
- IFPL 3 (3 hour fire watch)
- IFPL 4 – complete shutdown 24 hour

Energy Release Component

The **energy release component** (ERC) is a number related to the available energy (**BTU**) per unit area (square foot) within the flaming front at the head of a fire. Daily variations in ERC are due to changes in moisture content of the various fuels present, both live and dead. Since this number represents the potential "heat release" per unit area in the flaming zone, it can provide guidance to several important fire activities. It may also be considered a composite fuel moisture value as it reflects the contribution that all live and dead fuels have to potential fire intensity. The ERC is a cumulative or "build-up" type of index. As live fuels cure and dead fuels dry, the ERC values get higher, thus providing a good reflection of drought conditions. The scale is open-ended or unlimited and, as with other **NFDRS** components, is relative. Conditions producing an ERC value of 24 represent a potential heat release twice that of conditions resulting in an ERC value of 12.

Warm Springs Agency Fire Management uses the NFDRS ERC index to determine early and mid fire season IFPL and fire danger ratings. Based on historic weather conditions and using the Fuel Model G timber model we are able to accurately determine the start of fire season and then the elevating fire danger levels based on ERC outputs. A value of the 60th percentile is a good indicator of start or end of elevated danger, from 61st to 80th percentile is moderate, 81st to 90th percentiles high and over 91st percentile extreme. That is how to read the following charts.